

Yoshinaga, S., Sato, T., Hirakane, M., Esaki, K., Hamaguchi, T., Haga-Yamanaka, S., Tsunoda, M., Kimoto, H., Shimada, I., Touhara, K., and *Terasawa, H.

Structure of the mouse sex peptide pheromone ESP1 reveals a molecular basis for specific binding to the class C G-protein-coupled vomeronasal receptor.

J. Biol. Chem., **288**, 16064–16072 (2013)

Ueda, T., Nomoto, N., Koga, M., Ogasa, H., Ogawa, Y., Matsumoto, M., Stampoulis, P., Sode, K., Terasawa, H., and *Shimada, I.

Structural basis of efficient electron transport between photosynthetic membrane proteins and plastocyanin in spinach revealed using NMR.

Plant Cell **24**, 4173–4186 (2012)

Stampoulis, P., Ueda, T., Matsumoto, M., Terasawa, H., Miyano, K., Sumimoto, H., and *Shimada, I.

Atypical membrane-embedded phosphatidylinositol 3,4-bisphosphate (PI(3,4)P₂)-binding site on p47^{phox} phox (PX) domain revealed by NMR.

J. Biol. Chem. **287**, 17848–17859 (2012)

Ogino, S., Nishida, N., Umemoto, R., Suzuki, M., Takeda, M., Terasawa, H., Kitayama, J., Matsumoto, M., Hayasaka, H., Miyasaka, M., and *Shimada, I.

Two-state conformations in the hyaluronan-binding domain regulate CD44 adhesiveness under flow condition.

Structure **18**, 649–656 (2010)

Kofuku, Y., Yoshiura, C., Ueda, T., Terasawa, H., Hirai, T., Tominaga, S., Hirose, M., Maeda, Y., Takahashi, H., Terashima, Y., Matsushima, K., and *Shimada, I.

Structural basis of the interaction between chemokine stromal cell-derived factor-1/CXCL12 and its G-protein-coupled receptor CXCR4.

J. Biol. Chem. **284**, 35240–35250 (2009)

Sugahara, K.N., Hirata, T., Tanaka, T., Ogino, S., Takeda, M., Terasawa, H., Shimada, I., Tamura, J., ten Dam, G.B., van Kuppevelt, T.H., and *Miyasaka, M.

Chondroitin sulfate E fragments enhance CD44 cleavage and CD44-dependent motility in tumor cells.

Cancer Res. **68**, 7191–7199 (2008)

Mitsuhiro Takeda, Shinji Ogino, Ryo Umemoto, Masayoshi Sakakura, Masahiro Kajiwara, Kazuki N. Sugahara, Haruko Hayasaka, Masayuki Miyasaka, Hiroaki Terasawa, and *Ichio Shimada

Ligand-induced structural changes of the CD44 hyaluronan-binding domain revealed by NMR.

J. Biol. Chem. **281**, 40089–40095 (2006)

Takumi Ueda, Akira Kato, Seiki Kuramitsu, Hiroaki Terasawa, and *Ichio Shimada

Identification and characterization of a second chromophore of DNA photolyase from *Thermus thermophilus* HB27.

J. Biol. Chem. **280**, 36237–36243 (2005)

Yoshinori Hirano, Sosuke Yoshinaga, Ryu Takeya, Nobuo N. Suzuki, Masataka Horiuchi, Motoyuki Kohjima, Hideki Sumimoto, and *Fuyuhiko Inagaki

Structure of a cell polarity regulator, a complex between atypical PKC and Par6 PB1 domains.

J. Biol. Chem. **280**, 9653–9661 (2005)

Takumi Ueda, Akira Kato, Yuuta Ogawa, Takuya Torizawa, Seiki Kuramitsu, Shigenori Iwai, Hiroaki Terasawa, and *Ichio Shimada

NMR study of repair mechanism of DNA photolyase by FAD-induced paramagnetic relaxation enhancement.

J. Biol. Chem. **279**, 52574–52579 (2004)

Yoshinori Hirano, Sosuke Yoshinaga, Kenji Ogura, Masashi Yokochi, Yukiko Noda, Hideki Sumimoto, and *Fuyuhiko Inagaki

Solution structure of atypical protein kinase C PB1 domain and its mode of interaction with ZIP/p62 and MEK5.

J. Biol. Chem. **279**, 31883–31890 (2004)

Mitsuhiro Takeda, Hiroaki Terasawa, Masayoshi Sakakura, Yoshiki Yamaguchi, Masahiro Kajiwara, Hiroto Kawashima, Masayuki Miyasaka, and *Ichio Shimada

Hyaluronan-recognition mode of CD44 revealed by cross-saturation and chemical shift perturbation experiments.

J. Biol. Chem. **278**, 43550–43555 (2003)

Kiyohiro Takahashi, Nobuo N Suzuki, Masataka Horiuchi, Mitsuaki Mori, Wakako Suhara, Yasutaka Okabe, Yukiko Fukuhara, Hiroaki Terasawa, Shizuo Akira, Takashi Fujita, and *Fuyuhiko Inagaki

X-ray crystal structure of IRF-3 and its functional implications.

Nature Struct. Biol. **10**, 922–927 (2003)

Noritaka Nishida, Hiromi Sumikawa, Masayoshi Sakakura, Nobuhisa Shimba, Hideo Takahashi, Hiroaki Terasawa , Ei-ichiro Suzuki, and *Ichio Shimada

Collagen-binding mode of vWF-A3 domain determined by a transferred cross-saturation experiment.

Nature Struct. Biol. **10**, 53–58 (2003)

Sosuke Yoshinaga, Motoyuki Kohjima, Kenji Ogura, Masashi Yokochi, Ryu Takeya, Takashi Ito, Hideki Sumimoto, and *Fuyuhiko Inagaki

The PB1 domain and the PC motif-containing region are structurally similar protein binding modules.

EMBO J. **22**, 4888–4897 (2003)

Yukiko Noda, Motoyuki Kohjima, Tomoko Izaki, Kazuhisa Ota, Sosuke Yoshinaga, Fuyuhiko Inagaki, Takashi Ito, and *Hideki Sumimoto

Molecular recognition in dimerization between PB1 domains.

J. Biol. Chem. **278**, 43516–43524 (2003)

Tamiji Nakanishi, Mayumi Miyazawa, Masayoshi Sakakura, Hiroaki Terasawa, Hideo Takahashi, and *Ichio Shimada

Determination of the interface of a large protein complex by transferred cross-saturation measurements.

J. Mol. Biol. **318**, 245–249 (2002)

Hiroaki Sasakawa, Sosuke Yoshinaga, Shuichi Kojima, and *Atsuo Tamura

Structure of POIA1, a homologous protein to the propeptide of subtilisin: implication for protein foldability and the function as an intramolecular chaperone.

J. Mol. Biol. **317**, 159–167 (2002)

Terasawa, H., Noda, Y., Ito, T., Hatanaka, H., Ichikawa, S., Ogura, K., Sumimoto, H., and *Inagaki, F.

Structure and ligand recognition of the PB1 domain: a novel protein module binding to the PC motif.

EMBO J. **20**, 3947–3956 (2001)

Koga H., Terasawa, H., Nunoi H., Takeshige K., Inagaki F., and *Sumimoto, H.

Tetratricopeptide repeat (TPR) motifs of p67phox participate in interaction with the small GTPase Rac and activation of the phagocyte NADPH oxidase.

J. Biol. Chem. **274**, 25051–25060 (1999)

Terasawa, H., Kohda, D., Tsutiya, S., Nagata, K., Ishii, S., Mandiyan, V., Ullrich, A., Schlessinger, J., and *Inagaki, F.

Structure of the N-terminal SH3 domain of GRB2 complexed with a peptide from the guanine nucleotide releasing factor Sos.

Nature Struct. Biol. **1**, 891–897 (1994)

Terasawa, H., Kohda D., Hatanaka H., Nagata K., Higashihashi N., Fujiwara H., Sakano K., and *Inagaki F.

Solution structure of human insulin-like growth factor II; recognition sites for receptors and binding proteins.

EMBO J. **13**, 5590–5597 (1994)

Kohda D., Terasawa H., Ichikawa S., Ogura K., Hatanaka H., Mandiyan V., Ullrich A., Schlessinger J., *Inagaki F.

Solution structure and ligand-binding site of the C-terminal SH3 domain of GRB2.

Structure **2**, 1029–1040 (1994)